



ELBE Pools 2023-24

REINFORCED

**SWIMMING POOL MEMBRANES**  
**AND NATURAL POOL & SWIMMING POND MEMBRANES**  
ACCESSORIES FOR PROFESSIONAL INSTALLATION



[www.elbtal-plastics.de](http://www.elbtal-plastics.de) | [www.ELBEpools.com](http://www.ELBEpools.com)



POOL SURFACE | MADE IN GERMANY



# Index

## Reinforced swimming pool membranes

pure .....	6
ISLAND DREAMS .....	8
elite® smooth .....	10
elite® motion.....	12
PEARL .....	14
SUPRA PRINT.....	16
SUPRA .....	18
CLASSIC.....	20
NON-SLIP .....	22

## Natural pool and swimming pond membranes

General information about maintenance and care .....	24
NATURAL PEARL .....	26
NATURAL SUPRA.....	28
NATURAL CLASSIC .....	30

## Product characteristics

ELBE Pool Surface® .....	32
ELBE Natural Surface®.....	33

## Accessories

Liquid PVC .....	34
Bottle for liquid PVC .....	35
Coated metal sheets and profiles .....	35
Protective fleece.....	35
Mounting and fixing parts.....	36

## Information

Training center .....	37
Marketing-communication support & samples.....	38





**ELBE POOL SURFACE®  
SWIMMING POOL MEMBRANES**

*Beauty*, that never fades



POOL SURFACE | MADE IN GERMANY



## High-quality, reinforced swimming pool membranes with printed, embossed and refined 3D surface

Colors, shapes and textures of natural stones and vibrant exposed concrete structures harmonize perfectly with a natural environment and provide the purest swimming experience. The calm and softly textured colors create the magic of either a turquoise lagoon, an urban oasis, or a dark blue mountain lake in untouched nature.

Easy installation with the head-to-head welding technique as well as lowest fume emission during installation, round off the features of pure.

Thickness	1.8 mm
Width	1.65 m
Roll length	21 m
Package	6 Rolls per pallet



**NATURAL DESIGNS**



**3D SURFACE**



**UV RESISTANT**



**CHLORINE RESISTANT**




**STAIN RESISTANT**



**IDEAL FOR HEAD-TO-HEAD WELDING**  
WITH UNDERLAYER WELDING STRIPE  
(SEE PAGE 36)





**pure Terra Sand**  
Ref. No.  2001265




**pure Ocean Grey**  
Ref. No.  2001266



**pure Urban Grey**  
Ref. No.  2001273



**pure Mountain Blue**  
Ref. No.  2001328



**pure Indian Marble**  
Ref. No.  2001344



**pure Sand Stone**  
Ref. No.  2001347



## High-quality, reinforced swimming pool membranes with printed, embossed, and finished 3D surface

The feeling of having fine sandy beach under your feet and magical watercolors that can only be found in the Caribbean or in breath-taking reef landscapes - ISLAND DREAMS swimming pool membranes add an unique island feeling to any swimming pool.

Thanks to the non-slip approved 3D surface, they are perfect for pools with beach entry, stairs, and other anti-slip areas. The high-quality finish makes them especially resistant to chlorine, UV radiation and stains.

<b>Thickness</b>	<b>2.0 mm</b>
<b>Width</b>	<b>1.60 m</b>
<b>Roll length</b>	<b>20 m</b>
<b>Package</b>	<b>6 Rolls per pallet</b>



**UNIQUE DESIGNS**



**SPECIAL EMBOSSING SURFACE**



**UV RESISTANT**



**CHLORINE RESISTANT**




**STAIN RESISTANT**




**IDEAL FOR HEAD-TO-HEAD WELDING**  
WITH UNDERLAYER WELDING STRIPE  
(SEE PAGE 36)






**ISLAND Aruba** [153]  
Ref. No.  2001175



**ISLAND Santorini** [765]  
Ref. No.  2001176



**ISLAND Fiji** [104]  
Ref. No.  2001180



**ISLAND Maui** [809]  
Ref. No.  2001174



## Phthalate-free, unicolor, and reinforced swimming pool membranes with exclusive finished surface

Crystal-clear watercolors, perfect surfaces and maximum health protection transform any pool into a 5-star pool. The contribution of elite® reinforced pool membranes, extremely durable and resistant to aging, is proven day in day out, especially by their extreme resistance to UV radiation and the intensive use of sunscreens. Therefore, they are also ideal for public pools, leisure facilities, and hotel pools.

Thanks to their innovative surface formulation, they are easy to clean, prevent dirt deposits at the waterline and they are extra resistant to chlorine, UV radiation and microorganisms.

All colors are also available in a slip resistant version with a special rice grain groove. Alternatively, in addition to their anti-slip properties, non-slip tread protection membranes create interesting color contrasts on stairs, slopes, and entrance areas (see page 22).



**EXTREME WATERLINE PROTECTION**



**EXTREME UV RESISTANT**



**EXTREME CHLORINE RESISTANT**



**EXTREME STAIN RESISTANT**



**ALGAE RESISTANT**



**EXTREMELY EASY TO CLEAN**



**EXTREMELY EASY TO WELD**

<b>Thickness</b>	<b>1.5 mm</b>
<b>Width</b>	<b>1.65 m   2.00 m</b>
<b>Roll length</b>	<b>25 m   Non-Slip 10 m</b>
<b>Package</b>	<b>8 Rolls per pallet</b>



[elite® Non-Slip]



**elite® Deep Sea** [603]  
 Ref. No. ☑ 2001068 – 1.65 m  
 Ref. No. ☑ 2001119 – 2.00 m

**elite® Non-Slip** [603]  
 Ref. No. ☑ 2001076 – 1.65 m



**elite® Sand Beach** [179]  
 Ref. No. ☑ 2001070 – 1.65 m  
 Ref. No. ☑ 2001120 – 2.00 m

**elite® Non-Slip** [179]  
 Ref. No. ☑ 2001078 – 1.65 m




**elite® Blue Sky** [602]  
 Ref. No. ☑ 2001069 – 1.65 m  
 Ref. No. ☑ 2001118 – 2.00 m

**elite® Non-Slip** [602]  
 Ref. No. ☑ 2001077 – 1.65 m





**elite® Arctic White** [180]  
 Ref. No. ☑ 2001071 – 1.65 m  
 Ref. No. ☑ 2001117 – 2.00 m

**elite® Non-Slip** [180]  
 Ref. No. ☑ 2001079 – 1.65 m



**elite® Grey Rock** [798]  
 Ref. No. ☑ 2001073 – 1.65 m  
 Ref. No. ☑ 2001121 – 2.00 m

**elite® Non-Slip** [798]  
 Ref. No. ☑ 2001080 – 1.65 m



**elite® Black Stone** [799]  
 Ref. No. ☑ 2001122 – 1.65 m  
 Ref. No. ☑ 2001123 – 2.00 m

**elite® Non-Slip** [799]  
 Ref. No. ☑ 2001124 – 1.65 m



# Phthalate-free, reinforced swimming pool membranes with specially refined, unicolor 3D surface

With elite® motion, the world's most popular pool membranes from the ELBE Pool Surface® portfolio have received a stylish update. They combine the outstanding, functional surface features of the elite® product family with an exclusive 3D embossing.

The softly textured 3D surface of this phthalate-free pool membranes ensures a relaxed swimming experience. In addition, elite® motion meets the highest non-slip requirement to EN 16165, which means that the entire pool can be lined with the pleasantly gentle elite® motion pool membranes in a non-slip manner.

More pool feeling, impossible to find!



**3D SURFACE**



**EXTREME WATERLINE PROTECTION**



**EXTREME UV RESISTANT**



**EXTREME CHLORINE RESISTANT**



**EXTREME STAIN RESISTANT**



**ALGAE RESISTANT**



**EXTREMELY EASY TO WELD**

<b>Thickness</b>	<b>1.8 mm</b>
<b>Width</b>	<b>1.65 m</b>
<b>Roll length</b>	<b>21 m</b>
<b>Package</b>	<b>6 Rolls per pallet</b>





**elite® motion Deep Sea** [603]

Ref. No.  2001297



**elite® motion Sand Beach** [179]

Ref. No.  2001292



**elite® motion Blue Sky** [602]

Ref. No.  2001298




**elite® motion Arctic White** [180]

Ref. No.  2001294



**elite® motion Grey Rock** [798]

Ref. No.  2001293



**elite® motion Black Stone** [799]

Ref. No.  2001295



## Reinforced swimming pool membranes with refined, light-reflecting surface

For true pool fans, there is hardly anything more beautiful than the sight of glistening water in their refreshing refuge. The specially refined, reflective surfaces of PEARL pool membranes enhance this effect and conjure up a unique atmosphere.

But PEARL also leaves nothing to be desired in terms of functionality. Thanks to the high-quality surface finish, all color variants are UV, chlorine, and stain resistant as well as easy to clean.

Thickness	1.6 mm
Width	1.65 m
Roll length	25 m
Package	8 Rolls per pallet



**PEARLESCENT REFLECTION EFFECT**



**UV RESISTANT**



**CHLORINE RESISTANT**




**STAIN RESISTANT**




**EASY TO CLEAN**





**PEARL Black** [920/21]

Ref. No.  2000776



**PEARL Blue** [920/22]

Ref. No.  2000777




**PEARL White** [920/23]

Ref. No.  2000787




**PEARL Sand** [920/24]

Ref. No.  2000984



**PEARL Silver Lagoon** [1123/03]

Ref. No.  2000939



**PEARL Silver Black** [1123/05]

Ref. No.  2001007



# SUPRA PRINT

Premium Line

Reinforced swimming  
pool membranes  
with refined surface

The selection of printed decors and the excellent surface features make SUPRA Print the perfect pool membrane for leisure pools, pool landscapes and private pools with high demands on appearance and functionality.

The reinforced pool membranes are antimicrobial and, thanks to the refined surface, resistant to stains, UV radiation and chlorine over the long term.

Thickness	1.5 mm
Width	1.65 m
Roll length	25 m
Package	8 Rolls per pallet



**SPECIAL COATED SURFACE**



**UV RESISTANT**



**CHLORINE RESISTANT**




**STAIN RESISTANT**




**EASY TO CLEAN**





**SUPRA Blue Mosaic** [1123/01]

Ref. No.  2001177




**SUPRA Grey Mosaic** [1123/04]

Ref. No.  2001190



**SUPRA Blue Marble** [920/20]

Ref. No.  2001191



**SUPRA Azur Mosaic** [2062/1]

Ref. No.  2001195

# SUPRA

## Premium Line

Reinforced swimming pool membranes with refined surface

With good reason, SUPRA swimming pool membranes are an integral part of the product range. The comprehensive color palette of unicolored decors allows a great deal of leeway in designing the pool landscape, and the classic colors blend in perfectly with the desired ambience.

Of course, the unicolored swimming pool membranes are also characterized by their chlorine and UV stability. The high-quality surface finish also ensures easy cleaning and additional protection against stains and discoloration.



**SPECIAL COATED SURFACE**



**UV RESISTANT**



**CHLORINE RESISTANT**



**STAIN RESISTANT**



**EASY TO CLEAN**


Thickness	1.5 mm
Width	1.65 m   2.00 m
Roll length	25 m
Package	8 Rolls per pallet



**SUPRA Dove Blue [632]**  
Ref. No. ☎ 2001338 – 1.65 m



**SUPRA Night Blue [633]**  
Ref. No. ☎ 2001340 – 1.65 m



**SUPRA Sand** [153]

Ref. No.  2000051 – 1.65 m |  2000054 – 2.00 m



**SUPRA Light Blue** [687]

Ref. No.  2000052 – 1.65 m |  2000053 – 2.00 m




**SUPRA Adriatic Blue** [604]

Ref. No.  2000410 – 1.65 m |  2000409 – 2.00 m



**SUPRA Light Grey** [765]

Ref. No.  2000961 – 1.65 m |  2001074 – 2.00 m



**SUPRA Dark Grey** [782]

Ref. No.  2000786 – 1.65 m |  2000910 – 2.00 m



**SUPRA White** [104]

Ref. No.  2000049 – 1.65 m |  2000048 – 2.00 m

# CLASSIC

## Standard Line



**UV RESISTANT**



**CHLORINE RESISTANT**



**EASY TO CLEAN**


### Reinforced swimming pool membranes

The unicolored CLASSIC swimming pool membranes have all the features for a high-quality and hard-wearing pool liner.

As an all-rounder, the reinforced and tear-resistant swimming pool membranes are used worldwide not only in all types of indoor and outdoor pools, regardless of size and shape, but also in exclusive private pools.


CLASSIC pool membranes are UV and chlorine resistant, and resistant to cold and weathering as well, thanks to their antimicrobial properties, do not give fungi and bacteria a chance.

<b>Thickness</b>	<b>1.5 mm</b>
<b>Width</b>	<b>1.65 m   2.00 m</b>
<b>Roll length</b>	<b>25 m</b>
<b>Package</b>	<b>8 Rolls per pallet</b>



**Classic Adriatic Blue [604]**

Ref. No. 2000061 – 1.65 m | 2000063 – 2.00 m




**Classic Turquoise [500]**

Ref. No. 2000057 – 1.65 m | 2000058 – 2.00 m




**Classic Sand** [153]

Ref. No. 2000405 – 1.65 m | 2000406 – 2.00 m




**Classic Light Blue** [687]

Ref. No. 2000403 – 1.65 m | 2000404 – 2.00 m




**Classic Light Grey** [765]

Ref. No. 2000073 – 1.65 m | 2000072 – 2.00 m



**Classic Dark Grey** [782]

Ref. No. 2000529 – 1.65 m | 2000528 – 2.00 m



**Classic Black** [809]

Ref. No. 2000579 – 1.65 m



**Classic White** [104]

Ref. No. 2000045 – 1.65 m | 2000047 – 2.00 m

# NON-SLIP

Reinforced  
anti-slip tread  
protection membranes

These membranes were specially developed and offer high safety especially in wet areas, for bare feet, for both in outdoor and indoor pools.

Whether on steps, stairs, walk-throughs or children's paddling pools, the ribbed embossing of the surface ensures a safe and pleasant feeling both underfoot and when sitting down.

Another advantage: The membranes are excellent for welding.



**SPECIAL EMBOSSING  
SURFACE STRUCTURE**



**UV RESISTANT**



**CHLORINE RESISTANT**

<b>Thickness</b>	<b>1.9 mm</b>
<b>Width</b>	<b>1.65 m</b>
<b>Roll length</b>	<b>10 m</b>
<b>Package</b>	<b>15 Rolls per pallet</b>



NEW



**Non-Slip Dove Blue** [632]

Ref. No.  2001339

NEW




**Non-Slip Night Blue** [633]

Ref. No.  2001342



**Non-Slip Adriatic Blue** [604]

Ref. No.  2000772



**Non-Slip Light Grey** [765]

Ref. No.  2000767




**Non-Slip Turquoise** [500]

Ref. No.  2000769



**Non-Slip White** [104]

Ref. No.  2000765



**Non-Slip Dark Grey** [782]

Ref. No.  2000771



**Non-Slip Sand** [153]

Ref. No.  2000766



**Non-Slip Black** [809]

Ref. No.  2000770



**Non-Slip Light Blue** [687]

Ref. No.  2000768



## General information about maintenance and care for Natural Pool and Swimming Pond Membranes

- The membranes of natural pools and swimming pools of the ELBE Natural Surface® range are suitable for natural water treatment (by filtration for example)
- Regular maintenance preserves water quality (e.g., by sucking leaves and pollen)
- Before entering the pool, it is recommended to remove makeup and take a shower to get rid of any sunscreen (preservation of the biological balance of the water)
- Easy and environmentally friendly cleaning without chlorine-based products
- Cleaning with soft cloths or sponges (do not use hard brushes or pressure washers!)
- Easy winter maintenance (e.g. with the installation of a net tarpaulin to retain the leaves)

A photograph of a swimming pool with a lush green background. In the foreground, there are three white lounge chairs and a small table. The water is clear and blue. The background is filled with various green plants, including banana leaves and ferns.

**ELBE NATURAL SURFACE<sup>®</sup>**  
**NATURAL POOL AND**  
**SWIMMING POND MEMBRANES**

**LIVING**  
**WITH & IN NATURE**



NATURAL SURFACE | MADE IN GERMANY



# NATURAL PEARL

Reinforced swimming pond membranes with refined, light-reflecting surface

Mysterious colors and glittering water surfaces: The UV-resistant and durable Natural PEARL swimming pond membranes enchant with a special atmosphere.

Their printed surfaces provide extraordinary light reflections and give the pool a vibrant, natural character. Thanks to their high-quality formula, pools with Natural PEARL linings are harmless to the health of humans and animals and are also child's play to clean. Easy installation and minimal fume emission during welding perfectly round off the features of these reinforced swimming pond membranes.

<b>Thickness</b>	<b>1.6 mm</b>
<b>Width</b>	<b>1.65 m</b>
<b>Roll length</b>	<b>25 m</b>
<b>Package</b>	<b>8 Rolls per pallet</b>



**UNIQUE REFLECTION EFFECT**



**UV STABILIZED**



**BIOCIDE-FREE**




**EASY TO CLEAN**




**EASY TO WELD**



*Please note: Our membranes for natural pools and swimming ponds are exclusively for the waterproofing of pools in which no chemical disinfectants based on chlorine or similar products are used.*



**NATURAL PEARL Dark Green** [578]  
Ref. No.  2001141



**NATURAL PEARL Slate Grey** [702]  
Ref. No.  2001140

# NATURAL SUPRA

## Reinforced swimming pond membranes with refined surface



Natural SUPRA pool liners conjure up a special flair in any bio pool. Thanks to the natural color palette, the watercolors range from classic blue to turquoise and jade to mysterious, dark green tones, depending on the light intensity.

Like all reinforced swimming pond liners in the ELBE Natural Surface® portfolio, Natural SUPRA pond membranes are extremely durable and tear-resistant as well as resistant to cold.

Thanks to their formula, they are harmless to the health of all living creatures. A protective coating on the surfaces prevents biofilm buildup and keeps them from unsightly staining and discoloration. In addition, thanks to its exceptional properties, cleaning is much easier and saves time.

Thickness	1.5 mm
Width	2.00 m
Roll length	25 m
Package	8 Rolls per pallet



SPECIAL COATED SURFACE



UV STABILIZED



BIOCIDE-FREE




EASY TO CLEAN



EASY TO WELD



*Please note: Our membranes for natural pools and swimming ponds are exclusively for the waterproofing of pools in which no chemical disinfectants based on chlorine or similar products are used.*



**NATURAL SUPRA Dark Green** [578]

Ref. No.  2001139



**NATURAL SUPRA Slate Grey** [702]

Ref. No.  2001137



**NATURAL SUPRA Light Grey** [765]

Ref. No.  2001264



**NATURAL SUPRA Sand** [153]

Ref. No.  2001209



# NATURAL CLASSIC

## Reinforced swimming pond membranes

Like all ELBE swimming pond membranes, Natural CLASSIC products support a pool environment that is harmless to humans, animals, and plants alike. These membranes are made from the purest raw materials and do not contain biocides.

The highly durable, 100% waterproof and UV-resistant Natural CLASSIC waterproofing membranes are suitable for lining bio pools, swimming ponds, garden ponds, artificial lakes, fish tank liners and artificial watercourses. Another plus point: these membranes have the lowest fume emission in welding.

Thickness	1.5 mm
Width	2.00 m
Roll length	25 m
Package	12 Rolls per pallet



**UV STABILIZED**



**BIOCIDE-FREE**



**EASY TO CLEAN**



**EASY TO WELD**



**NATURAL CLASSIC Green / Black [546/801]**  
Ref. No. ☎ 2000366

*Please note: Our membranes for natural pools and swimming ponds are exclusively for the waterproofing of pools in which no chemical disinfectants based on chlorine or similar products are used.*

# Product characteristics

PRODUCT FEATURES	elite smooth		elite action		PEARL	ISLAND DREAMS	PURE	SUPRA	SUPRA PRINT	NON-SLIP	CLASSIC
	TECHNICAL FEATURES										
Approved for public pools (KSW)		✓ best option			✓			✓		✓	
Manufactured according to European standard for swimming pools		✓		✓	✓	✓	✓	✓	✓	✓	✓
UV resistance		++++		+++	+++	+++	+++	+++	+++	++	++
Chlorine resistance		++++		++	++	++	++	++	++	+	+
Scratch resistance		+++		++	++	++	++	++	+++	+	+
Non-Slip		✓	✓		✓	✓				✓	
HEALTH AND ENVIRONMENT											
EN 71-3 – kidsfriendly		✓		✓	✓	✓	✓	✓	✓	✓	✓
Phthalate free baby and kidsfriendly		✓									
Lowest fume emission during welding		✓		✓	✓	✓	✓	✓	✓	✓	✓
SURFACE AND CLEANING											
Easy to clean		++++		++	++	++	++	++	++	+	+
Stain resistant		++++		++	++	++	++	++	++	+	+
Printed designs				✓	✓	✓			✓		
3D structure surface			✓		✓	✓				✓	
WARRANTIES											
Recommended maximum water temperature		35 °C		33 °C	33 °C	33 °C	33 °C	33 °C	33 °C	32 °C	32 °C
Warranty watertightness		15 years									
Warranty stain resistance		5 years									
Warranty chlorine resistance		5 years									

Please refer to the technical data sheets for detailed information on specific item.

# Product characteristics

PRODUCT FEATURES		NATURAL PEARL	NATURAL SUPRA	NATURAL CLASSIC
<b>APPLICATIONS</b>				
Swimming ponds, natural ponds		✓	✓	✓
(Artificial) ponds and lakes		✓	✓	✓
Irrigation basins, fire protection ponds, rainwater retention reservoirs				✓
<b>TECHNICAL FEATURES</b>				
Reinforced (high strength and dimensional stability)		✓	✓	✓
Coated surface		✓	✓	
UV stability		✓	✓	✓
Cold and weather resistance		✓	✓	✓
<b>HEALTH AND ENVIRONMENT</b>				
EN 71-3 – kidsfriendly		✓	✓	✓
Non-toxic for fish and plants		✓	✓	✓
Lowest fume emission during welding		✓	✓	✓
<b>SURFACE AND CLEANING</b>				
Easy to clean		++	++	+
Stain resistant		++	++	+
Less biofilm		✓	✓	
Printed designs		✓		
<b>WARRANTIES</b>				
Warranty watertightness		15 years	15 years	10 years

Please note: Our membranes for natural pools and swimming ponds are exclusively for the waterproofing of pools in which no chemical disinfectants based on chlorine or similar products are used.

# Accessories

## For professional installation of our swimming pool, natural pool and swimming pond membranes

Our **ELBE Pool Surface**® membranes are suitable for indoor and outdoor pool coverings, regardless of the shape or size of the pool. This applies to new constructions, to the renovation of existing pools made of different concrete, masonry, wood, steel, aluminum, polyester supports as well as for earthen pools fixed on slopes up to 60 °.

Our **ELBE Natural Surface**® membranes are ideal for waterproofing natural pools, swimming ponds and natural pools, easy and quick to install on any surface and support. Note, however, the importance of the right accessory during the installation, guaranteeing a perfect result.

### ELBE liquid PVC

(Delivery only in full package units)

Content 950 ml per can

Package 6 cans per box



We recommend the application of **ELBE liquid PVC** to ensure sealing and take care of the aesthetic appearance of the weld seam. However, this product does not replace the hot air welding quality of reinforced membranes. It also drastically reduces dirt deposits at the weld seam. It should be noted that all **ELBE liquid PVCs**, with the exception of green, dark green and slate grey, contain biocides and can therefore only be limited in their use in natural swimming pools. The viscosity can be improved with the addition of acetone.

Our liquid PVCs match the colors of our membranes and are recommended as follows:

#### Suitable for: CLASSIC, SUPRA, ISLAND DREAMS, PEARL, pure

Color	Sand [153]	Light Blue [687]	Adriatic Blue [604]	Dove Blue [632]	Night Blue [633]	Navy Blue [620]
<b>NEW Ref. No.</b>	<b>2000858</b>	<b>2000864</b>	<b>2000862</b>	<b>2001345</b>	<b>2001346</b>	<b>2000863</b>
PREV. Ref. No.	2100056	2100053	2100048			2100246
Color	Turquoise [500]	Lagoon [623]				
<b>NEW Ref. No.</b>	<b>2000859</b>	<b>2000957</b>				
PREV. Ref. No.	2100049	2100274				
Color	Light Grey [765]	Dark Grey [782]	Black [809]	White [104]	Transparent [027]	
<b>NEW Ref. No.</b>	<b>2000865</b>	<b>2000866</b>	<b>2000867</b>	<b>2000857</b>	<b>2000856</b>	
PREV. Ref. No.	2100046	2100154	2100190	2100054	2100055	

#### Suitable for: elite®

Color	Arctic White [180]	Sand Beach [179]	Blue Sky [602]	Deep Sea [603]	Grey Rock [798]	Black Stone [799]
<b>NEW Ref. No.</b>	<b>2001090</b>	<b>2001091</b>	<b>2001089</b>	<b>2001088</b>	<b>2001092</b>	<b>2001132</b>
PREV. Ref. No.	2100393	2100394	2100395	2100396	2100403	2100536

#### Suitable for: NATURAL PEARL, NATURAL SUPRA, NATURAL CLASSIC

Color	Slate Grey [702]	Dark Green [578]	Green [546]
<b>NEW Ref. No.</b>	<b>2001143</b>	<b>2001142</b>	<b>2000860</b>
PREV. Ref. No.	2100537	2100538	2100215

## Coated metal sheets and profiles

Thickness 1.2 mm



	Sheet	Sheet stainless steel V2A	Exterior angle	Interior angle	Strip
Color	Blue	Blue	Blue	Blue	Blue
Dimensions	1000 × 2000 mm	1000 × 2000 mm	50 × 50 × 2000 mm	50 × 50 × 2000 mm	50 × 2000 mm
Package	1 Pallet = 30 Pcs	1 Pallet = 30 Pcs	10 Pcs	10 Pcs	10 Pcs
Ref. No.	2001313	2100346	2001310	2001311	2001312

### Bottle for liquid PVC

Content 500 ml  
 Package for 1 Pc  
 Ref. No. 2100085



### Fleece adhesive

Content 5 kg  
 Package 1 Unit  
 Ref. No. 2100397



## Protective fleece

**Polyester fleece** 300 g/m<sup>2</sup>, 1.5 m × 50 m  
 DIN 4102 B2, drillable, White  
 Thickness 2 mm  
 Package 6 Rolls per pallet  
 Ref. No. 2100358

**Polyester fleece** 300 g/m<sup>2</sup>, 2 m × 50 m  
 DIN 4102 B2, drillable, White  
 Thickness 2 mm  
 Package 6 Rolls per pallet  
 Ref. No. 2100061

**Antibacterial Polyester fleece** 300 g/m<sup>2</sup>, 1.5 m × 50 m  
 drill- & screw-resistant, light green  
 Thickness 2 mm  
 Package 6 Rolls per pallet  
 Ref. No. 2001349

**Antibacterial Polyester fleece** 300 g/m<sup>2</sup>, 2 m × 50 m  
 drill- & screw-resistant, light green  
 Thickness 2 mm  
 Package 6 Rolls per pallet  
 Ref. No. 2001348



# Mounting and fixing parts

## Fastener rivets short

Dimensions 4.8 mm × 20.3 mm  
 Package 12 / 48 Packs per box  
 Content per 200 Pcs  
 Ref. No. 2100275



## Fastener rivets long

Dimensions 4.8 mm × 35 mm  
 Package 12 Packs per box  
 Content per 100 Pcs  
 Ref. No. 2100382



## Rigid plastic profile\* White, vertical

Length 2 m  
 Package from 1 Pc  
 Ref. No. 2100286



## Rigid plastic profile\* White, horizontal

Length 2 m  
 Package from 1 Pc  
 Ref. No. 2100387



## Liner locking stripe\* White

Length 30 m  
 Package 10 Rolls per box  
 Ref. No. 2100285



## Welding stripe

Dimensions 9 mm × 25 m  
 Thickness 1.5 mm  
 Package 10 Rolls per box  
 Ref. No. 2001317



## Underlayer welding stripe

Dimensions 15 cm × 25 m  
 Thickness 1.5 mm  
 Package from 1 Roll  
 Ref. No. 2001318



## Marking lines Black

Dimensions 25 m × 25 cm  
 Thickness 1.5 mm  
 Package from 1 Roll  
 Ref. No. 2001319



## ELBE Themo Glue

Content 4.5 kg  
 Package from 1 pack  
 Ref. No. 2001329



## Cold welding agent THF

Content 1000 ml  
 Package 6 Pcs per pack  
 Ref. No. 2100039



\* Available on request

# Training Center

**A CONCENTRATE OF EFFICIENCY**  
THE ESSENTIALS OF THE INSTALLATION FOR PROFESSIONALS  
GATHERED IN A SINGLE SESSION

## Premium quality requires premium installation

Going pro means learning from the pros! We offer ad hoc training sessions at our state-of-the-art training center in Coswig, Germany. Here, you or your customers will receive from our experts all the essential skills and knowledge for a professional installation of our reinforced membranes. On this occasion, you will also have the chance to visit the factory and learn more about the manufacture of our membranes. In order to optimize the quality of our premium teaching and guarantee sustainable competence, the number of participants is limited to 8 people per course. At the end of your training session, your participation and success will be validated by the delivery of an official ELBE certified installer certificate.



More information and dates on:  
[www.ELBEpools.com](http://www.ELBEpools.com)

Please send your registration to:  
[trainings@elbtal-plastics.de](mailto:trainings@elbtal-plastics.de)

If you have questions, call us:  
**+49 3523 5330-0**

### The following materials are to be brought along:

Own work clothes, safety shoes,  
knee pads, possibly safety gloves

### ELBE Pool Surface® training course

General information:

Course duration: 4 days  
Monday until Thursday  
8.00 am until ca. 5.30 pm

Max. number  
of participants: 8 Persons per course  
Language: German, English

### Location

Elbtal Plastics GmbH & Co. KG  
Grenzstr. 9 | 01640 Coswig | Germany



# Marketing-communication support & samples

Do you have questions that we haven't answered yet? We will be happy to provide you with further information. You will find your **ELBE Pool Surface®** partner and customer service at the following address: [www.ELBEpools.com/contact/](http://www.ELBEpools.com/contact/)

**Note:** Details of available languages in our brochures refer to **digital versions**.

Would you like to know in which languages the printed brochures are available? Do not hesitate to contact us.

## Catalogues and Brochures



### Product Catalogue #2200008

General presentation of the **ELBE Pool Surface®** and **ELBE Natural Surface®** products, with brief description of colors, article codes and package.

Format: DIN A4

Language: DE | EN | FR | ES | IT | PL | RU



### Consumer Brochure #2200037

Complete presentation of the **ELBE Pool Surface®** range for private pools, with illustrative visuals.  
*Available only in digital version.*

Format: DIN A5

Language: DE | EN | FR | ES | PL | RU



### Commercial Brochure #2200038

Complete presentation of the **ELBE Pool Surface®** range for public pools and communities, illustrated with atmospheric photos.  
*Available only in digital version.*

Format: DIN A5

Language: DE | EN

## Technical Brochures



### Installation Manual #2200021

Step-by-step explanations of the installation of **ELBE Pool Surface®** reinforced membranes. Text and illustrative photos.

Format: DIN A4

Language: DE | EN | ES




### Maintenance Guide #2200023

Details and instructions for maintaining **ELBE Pool Surface®** reinforced membranes. Text and illustrative photos.

Format: DIN A6

Languages: DE | EN | FR | ES | IT | PL | RU

NEW



**elite® #2200014**

Complete presentation of elite®, detailed arguments concerning the many advantages and guarantee of this product. With photos and color samples.

Format: DIN A4  
Language: DE & EN



**ISLAND DREAMS #2200015**

Complete presentation of the ISLAND DREAMS range, with photos and color samples.

Format: DIN A4  
Language: no text

**Pool membranes collections ELBE Pool Surface®**

Dimensions: 9.5 x 15 cm  
Language: EN



**Classic #2200011**



**PEARL #2200016**

Complete presentation of the PEARL range, with photos and color samples.

Format: DIN A4  
Language: no text



**pure #2200019**

Illustrated with color samples.

Format: DIN A4  
Language: EN



**SUPRA #2200012**



**Product Catalogue #2200010**

Contains the complete range of **ELBE Natural Surface®**, as well as general product information, article numbers and miscellaneous information.

Format: DIN A4  
Language: DE|EN|FR|PL



**Brochure #2200020**

Illustrated with samples and photos from the Natural PEARL and Natural SUPRA range of natural pools and swimming pools.

Format: DIN A4  
Language: DE|EN|FR

**Natural pool and swimming pond membranes collection**

Dimensions: 9.5 x 15 cm  
Language: EN



**ELBE Natural Surface® #2200013**



WE ARE MEMBERS OF

